The X-Array and SATURN: A new decay-spectroscopy station for CARIBU

AJ Mitchell

University of Massachusetts Lowell

ATLAS Users' Meeting 15 May 2014



Email: Alan_Mitchell@uml.edu

The CARIBU hall





The "X-Array" @ CARIBU





- Five HPGe clover detectors
- 4 of 60x60 mm and 70x70 mm SuperClover
- Large solid-angle coverage
- $\sim 65 \%$ of 4π
- High photopeak efficiency

~50 % @ 122 keV, ~10% @ 1332 keV



β-particle detection



Long-lived radiation removal



"SATURN"

- Good vacuum properties
- Motor/pulleys/belts etc
- Storage for excess tape
- Chamber modifications
- Control system:
 - Motor controller
 - ▶ PLC
 - DDAQ + electronics



Commissioning (preliminary analysis)



Determining half-lives



PAC-Approved experiments

01/2012	1423X	P. F. Bertone	Commissioning the X-Array and the Decay Beam Lines at CARIBU
1			
12/2012	1477	A. Sonzogni	Possible low-spin state in ¹⁰⁴ Tc and its implications for decay heat
	1480	F. Kondev	Discovery and Properties of New Isotopes using Mass and Decay Measurements at CARIBU
	1457	J. Rissanen	Beta-decay studies of neutron-rich Zr and Y isotopes near the neutron mid-shell
	1468	M. Carpenter	Study of Non-Yrast States in ^{100,102} Zr following beta decay of ^{100,102} Y
	1471	M. Flores	Study of the beta delayed neutron emission with VANDLE at CARIBU

11/2013 [1521	E.Merchan	Quantum Numbers of Single-Particle States of ¹³² Sn populated via b-decay
	1526	V.Werner	Sub-shell closure, proton-neutron symmetry and shape coexistence in ⁹⁸ Zr
	1533x	C.J.Lister	X-Proposal: Commissioning the INEL TAGS Spectrometer at CARIBU
	1535x	N.D'Olympia	X-Proposal: Beta-delayed neutron branching and energy measurements with a novel CYLC detector: A test and physics case in ⁹⁴ Rb



Learning with Purpose

http://www.phy.anl.gov/atlas/pac/exp14Dec12.html

Collaboration

AJ Mitchell, CJ Lister, P Chowdhury, AY Deo, N. D'Olympia; PF Bertone, MP Carpenter, JA Clark, B DiGiovine, FG Kondev, J Rohrer, G Savard, D Seweryniak, S Zhu; EA McCutchan; SL Tabor, R Dungan; plus many others...





